

1x

4 ø 12

4 ø 12

ø 12

2 ø 10

70/70

70/70

2 ø 10

ø 12

150

150

300

SMYKOVÝ TRN

DILATAČNÍ SPÁRA VYPLNĚNÁ POLYSTYRENEM TL. 20 mm PRUŽNE TESNĚNÍ

SMYKOVÝ TRN NORMOVÉ ÚNOSNOSTI 30 kN, PROVEDENÍ "NEREZ" 4 kusy

Technical drawing of a reinforced concrete wall and foundation. The drawing shows a cross-section of a wall with a foundation. The wall has a total height of 3160 mm and a width of 200 mm. The foundation has a width of 1700 mm and a height of 800 mm. The wall is reinforced with 2ø16 bars at the top and 4ø16 bars at the bottom. The foundation is reinforced with 4ø16 bars. The wall is labeled "SPONA PRO ARMOVANÍ STĚN CCA 4 KUSY NA 1m2". The drawing includes dimensions for the wall, foundation, and reinforcement bars.


[illegible][illegible]

Technical drawing of a rectangular frame. The height is indicated as 500. The diameter is indicated as $\varnothing 10-150$.


Technical drawing of a rectangular frame. The height is dimensioned as 800. A detail of the top edge is shown with the label $\varnothing 10-150$.

RASTROVANI BEDNENI SE NOTNE KONZULOVAT SE STAVEBNIKEM A PROJEKTANTEM

10		
09		
08		
07		
06		
05		
04		
03		
02		
01		
REVIZE Č.	OBSAH REVIZE	DATUM REVIZE

		<p>Autoři Ing. Vladimír Vokatý Ing. arch. Martin Vokatý</p>
		 <p>±0,000 = 604,940</p>
		<p>souř. systém JTSK, výškový systém Bp</p>
		<p>Hlavní architekt</p>
		<p>Ing. Vladimír Vokatý</p>

Investor: Královéhradecký kraj Pivovarské náměstí 1245 500 03 HRADEC KRÁLOVÉ IČO: 708 89 546	Generální projektant:  ATIP^{AA} Architektonická, projektová a inženýrská společnost PRAŽSKÁ 169, TRUTNOV 541 31, TEL.: 499 859 011, info@atip.cz	Vedoucí projektu Ing. Vladimír Vokatý	Hlavní inženýr projektu Ing. Vladimír Vokatý
--	--	--	---

Zpracovatel dílu:  ATIP s.r.o. Architektonická, projektová a inženýrská společnost PRAŽSKÁ 169, TRUTNOV 541 81, TEL.: 499 859 811, info@atip.cz	Zodpovědný projektant dílu	Vypracoval	Kontroloval
	Ing. David Pauzar	Ing. David Pauzar	Ing. Vladimír Vokatý

stavba ŽACLĚŘ DOMOV PRO SENIORY LAMPERTICE, OBJEKT ŽACLĚŘ	číslo stavby	stupeň dokumentace			
	1	Dokumentace pro provedení stavby			
etapa		zakázkové číslo			
		190503			
objekt (SO), provozní soubor (PS) SO-20 VENKOVNÍ OBJEKTY		měřítko			
		1:25			
díl / profese		datum dokončení - revize 00		datum revize	
D.1.5 Venkovní úpravy		10.2019			
název přílohy		DPS	SO-20	VÚ.07	00
VÝZTUŽ OPĚRNÝCH ZDÍ		stupeň	SO/PS	číslo výkresu	revize