

(U SCHODIŠTĚ SCH3)

Technical drawing of a 2750mm long steel beam with various reinforcement details. The drawing shows a cross-section with dimensions: 180mm height, 230mm width, and 110mm flange thickness. Reinforcement includes 10mm diameter bars at 150mm spacing (circled 1), 14mm diameter bars (2 and 4), 8mm diameter bars at 150mm spacing (24), and 8mm diameter bars at 900mm spacing (24). A 2750mm dimension line is shown below the beam.

(U SCHODIŠTĚ SCH3)

PŘEDKLAD OCELOVÉHO
KOLENICOVÉHO NOSNIKU

2500

3250

250

250

2800

1) Ø 10 - 150

2) Ø 10 - 150

3) 3 Ø 10

4) Ø 14

5) Ø 8 - 150

6) 3 Ø 10

7) 3 Ø 10

8) 2 Ø 6

A-A

A-A

4) Ø 14 L=3250mm

3250

Technical drawing of a roof structure showing a plan view and a cross-section.

Plan View Dimensions:

- Overall width: 1465
- Overall length: 1265
- Central ridge width: 280
- Distance from left edge to ridge center: 1125
- Distance from ridge center to right edge: 280

Annotations and Materials:

- 2 ø 10-150
- 1 ø 10-150
- 4 2 ø 14
- 5 ø 8-150
- 4 4 ø 14

Cross-section Dimensions:

- Top width: 230
- Bottom width: 230
- Height: 110
- Side slope: 1/10


Additional Note:

- 5 ø 8 L=1130mm

[illegible][illegible]

OCEL B500B (10 505-R, SÍŤ KARI)

10		
09		
08		
07		
06		
05		
04		
03		
02		
01		
REVIZE È.	OBSAH REVIZE	DATUM REVIZE

		<p>Autoři Ing. Vladimír Vokatý Ing. arch. Martin Vokatý</p>
		<p style="text-align: center;">  </p> <p style="text-align: center;">±0,000 = 604,940</p> <p style="text-align: center;">souř. systém JTSK, výškový systém BpV</p>
		Hlavní architekt
		Ing. Vladimír Vokatý

Investor: Královéhradecký kraj Pivovarské náměstí 1245 500 03 HRADEC KRÁLOVÉ IČO: 708 89 546	Generální projektant:  ATIP a.s. Architektonická, projektová a inženýrská společnost PRAŽSKÁ 169, TRUTNOV 541 31, TEL.: 499 859 011, info@atip.cz	Vedoucí projektu	Hlavní inženýr projektu
		Ing. Vladimír Vokatý	Ing. Vladimír Vokatý

Zpracovatel dílu:	Zodpovědný projektant dílu	Vypracoval	Kontroloval
Hynek Stiehl	Ing. Hynek Stiehl	Ing. Michaela Šimková	Ing. Hynek Stiehl
SLEPÁ 308/6, 541 01 TRUTNOV tel: 491 005 064, fax: 491 005 063			

stavba ŽALČLŘ DOMOV PRO SENIORY LAMPERTICE, OBJEKT ŽALČLŘ etapa	číslo stavby	stupeň dokumentace		
	1	Dokumentace pro provedení stavby		
		zakázkové číslo		
		190503		
objekt (SO), provozní soubor (PS) SO-1	měřítka			
	1:25			
díl / profese	datum dokončení - revize 00		datum revize	
D.1.2 - ST. Stavebně konstrukční řešení	11.2019			
název přílohy				
SCHODIŠTŘ (SCH3) - SCHÉMA VÝZTUŽE	DPSSO-1	ST.603	00	
	stupeň SO/PS	číslo výkresu	revize	